

USER MANUAL

# TWISTER





## CONGRATULATIONS

on your purchase of The Twister, the chorus and flanger pedal from t-rex Engineering.

The Twister offers all the controls you need to define your own classic chorus or flanger sound. Whether you want to cast a light stereo shimmer over your acoustic guitar or run your electric lead through a freaky flange, this manual will help you learn how to make the most of The Twister.

Turn the page to get twisted!

## HERE'S HOW IT WORKS

the main controls on The Twister are the DEPTH, RATE, LEVEL, TONE and REGEN knobs, and the CHORUS/FLANGER and LIGHT/HEAVY buttons.

DEPTH determines the degree of modulation, or how heavy your chorus/flange sound is. turn it down for a subtler natural sound, and crank it up for a more radical effect.

the RATE knob controls the speed of your twist – from a very slow rotating sound to a fast, vibrant sparkle.

LEVEL determines the pedal's overall output volume.

TONE is a unique control that lets you cut back on the high frequencies. It's perfect when you're looking for a mellower, more vintage sound.

the REGEN (short for "regeneration") knob is used in flanger mode to adjust the amount of feedback you get. turn it up for that unmistakably weird feedback flange.

the CHORUS/FLANGER button is where you switch between the two twister effects, while the LIGHT/HEAVY button lets you switch between a light, airy effect (especially in chorus mode) and a heavier, more drastic chorus or flange.

Note: the INPUT LEVEL knob on the side of your Twister eliminates overdrive distortion caused by too high an input signal. keep it set just below where the red light comes on.

## STEREO OUT

The Twister features a stereo output so you can take advantage of all the glory of stereo chorus/flange when you're in the studio or running a stereo live setup. if you think The Twister sounds great in mono, try running it in stereo. it will blow your mind!

## T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at [info@t-rex-engineering.com](mailto:info@t-rex-engineering.com) before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 3 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at [www.t-rex-engineering.com](http://www.t-rex-engineering.com).

## ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

## EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



ISSUED IN VEJLE, 2008



Steen Meldgaard Laursen  
Managing Director



Lars Dahl-Jørgensen  
Development Director



Sebastian Jensen  
Production Director

